MAZDA BT-50

 \bigcirc



(-)

ZOOM-ZOOM

IMAGINATION DRIVES US







PERFORMANCE

14

SAFETY



Imagination is the world's most valuable resource. It's our window to the future, because if we can imagine it, we can create it. Mazda is built on a foundation of imagination and ingenuity. It's the fuel behind all we create and achieve. It has given us countless successes that once existed only in someone's imagination. These pages show how imagination is an integral part of our innovative cars.





18-23

MODELS



SPECIFICATIONS














TOWING & PAYLOAD






Mazda BT-50 is built tough to take on any task, and do it in style. It delivers grunt when you need it, and refined comfort with every drive. Fill it with gear, pull a load or take it off road. As a workhorse or a weekend warrior, it's always up to the challenge.

Smart connectivity, navigation and driver aids mean Mazda BT-50 is clever as well as capable. The spacious cabin is a stylish surprise, with a level of passenger comfort that makes it feel more like a car. And it's all protected with advanced safety features like airbags and Dynamic Stability Control.

Equipped for work, play and everything in between, Mazda BT-50 can do it all - with added Zoom-Zoom.

4x4 Double Cab Wellside GSX in Titanium Flash Mica.

POWERFUL YET REFINED





4x4 Double Cab Wellside GSX in Titanium Flash Mica.



When it comes to performance, Mazda BT-50 brings the goods. Built tough from the ground up, its ladder-frame chassis provides reinforcement for maximum rigidity. The resulting stability can be felt in car-like handling, while the powerful engine makes towing light work. Speaking of towing, Mazda BT-50 is capable of pulling an impressive 3,500kg⁴

Powered by new generation turbo diesel engines, you get more muscle from less fuel. Harnessing the power is up to you - choose from a rugged 6-speed Manual for complete control, or a versatile 6-speed Auto that also allows for smooth and intuitive gear changes.

A GUTSY PERFORMANCE EVERY TIME



3.2L DIESEL ENGINE

Feel the power of a five-cylinder engine with common-rail direct injection and intercooling. Pumping out 147kW and 470Nm of torque from just 8.9 litres per 100km² (combined), you get power and efficiency together.





AUTOMATIC TRANSMISSION


Let the intelligent 6-speed Auto do the work for you, or step in for Manual gear shifts when the mood strikes. In Auto mode, Active Adaptive Shift (AAS) kicks in - intuitively changing gears to suit your driving conditions.



Make the most of generous power without the thirstiness you expect. Mazda BT-50 comes with superior performance and fuel efficiency – perfect for those weekend getaways.

Take on the toughest tasks effortlessly, thanks to advanced common-rail direct injection. Boosted by a lag-reducing variable geometry turbocharger, the punchy 3.2 litre engine gives you 147kW of power and a whopping 470Nm of torque to easily overpower any challenge.

BODY





RT-50

LOCKING REAR DIFFERENTIAL (LRD)

Standard across all models, the LRD maximises off-road grip by locking the rear wheels so both receive the same amount of torque. So even when one wheel has lost traction, the other provides drive.



MANUAL TRANSMISSION

Enjoy the smooth ride of a 6-speed Manual that delivers fluid precision-shifting ratios. Transition through gear changes with ease for a true sense of control over your vehicle's performance.



CHASSIS

Reinforced with a rigid ladder frame chassis, BT-50 is ready to take on the heavy-duty jobs. Front wishbone suspension and rear leaf suspension cushion the ride for car-like handling on and off the road.

THE STRENGTH TO TAKE ON ANY CHALLENGE



Equipped with power and backbone, Mazda BT-50 has an enviable towing capacity of up to 3,500kg⁴ Don't be afraid to give it heaps - depending on the model, it has the capacity to take on payloads of up to 1,409kg⁵ Venture off the beaten track with the rugged 4x4. Backed by the latest driver support tech, uneven terrain has never been easier to conquer. Jump between 2-High and 4-High at the flick of a switch, without stopping the vehicle.

Operated via a console switch, electronic Locking Rear Differential (eLRD) gives you maximum traction on uneven terrain. By locking the rear wheels, torque is distributed evenly between them. If one wheel loses grip, the other continues to provide power, turning the wheel to get traction on the ground.



THE CONFIDENCE OF FULL PROTECTION

Feel confident driving a vehicle that's big on safety.


Driver support begins with a rigid ride and accurate handling, giving you the capacity to avoid potential hazards. In the event Mazda BT-50 does run into trouble, it's well equipped to deal with it. The reinforced body shell is fitted with front airbags and headprotecting curtain airbags in all models. Freestyle and Double Cab models also come with the addition of side (front) airbags. And all seats feature three-point lap-sash seatbelts.

In 4x4 models, Hill Descent Control (HDC) automatically applies brakes to maintain a steady, low speed down steep slopes. Control is greatly enhanced, particularly in off-road conditions.

Roll Stability Control (RSC) monitors your driving data and applies appropriate measures to help prevent rollover. And when your cargo raises BT-50's centre of gravity, you've got Load Adaptive Control (LAC) for extra stability.

Dynamic Stability Control (DSC) helps keep traction in all conditions, managing the engine power and braking force delivered to individual wheels to avoid skidding or loss of grip.

ABS brakes feature Electronic Brake-force Distribution (EBD) which matches braking to vehicle load, while Emergency Brake Assist (EBA) boosts stopping power when emergency braking is sensed. An Emergency Stop Signal (ESS) activates the hazard lights to warn following drivers of sudden deceleration.









SAFETY REFLEX Trailer Sway Control (TSC) adjusts braking and torque to correct any side-to-side swinging movement of towed loads.



BETTER BRAKING Stopping distance with EBA, ABS and EBD. Stopping distance with no assistance.

INCLINES MADE EASY

Remove your foot from the brake on an incline and Hill Launch Assist (HLA) keeps the brakes applied, releasing them when there's enough power for a smooth start. While you're on steep slopes, Hill Descent Control (HDC) kicks in to maintain steady control of your speed.



Whether it's power, strength or capability, Mazda BT-50 consistently delivers more.

With all the refinement of a car, Mazda BT-50 makes it hard to believe you're in a ute. The interior is appointed with quality trims and finishes, while powerful heating and cooling provides comfort all year round, including dual-zone climate control (GSX and Limited models).

Enjoy clever thinking with useful driver technology like trip computer, cruise control and wireless connectivity across the range, as well as Apple CarPlay[™], Android Auto[™] and satellite navigation in GSX and Limited models. Mazda BT-50 is USB and Bluetooth[®] compatible, so you can make and answer phone calls with built-in handsfree connectivity¹.

When it comes to space, you'll be surprised how much smart storage can be found around the cabin. Tuck your gear away in the split-level centre console space, or the sizeable glovebox that swallows a 16-inch laptop. Drinks and sunnies have their own dedicated spaces, keeping them within grabbing reach on every trip.

4x4 Double Cab Wellside Limited Automatic.

Mazda BT-50

SINGLE CAB



4x4 Single Cab Chassis GLX in Cool White (with optional tray).

SINGLE CAB features include:

GLX


- 16-inch steel wheels with 255/70 tyres
- Headlamps (Halogen)
- Power windows and mirrors (black)
- Seat trim: Black cloth
- Air-conditioning
- Cruise control
- Lockable and illuminated glovebox
- Trip computer⁷
- 3.5-inch multi-information display Audio system with: AM/FM tuner and 4 speakers
- Single-disc CD player (MP3 compatible)
- Bluetooth[®] hands-free phone and audio capability¹
- USB input iPod compatible

- Steering wheel-mounted audio controls
- Floor Covering: Vinyl
- Airbags SRS: front (driver and passenger) and curtain (driver and passenger)
- Anti-lock Braking System (ABS)
- Dynamic Stability Control (DSC)
- Emergency Stop Signal (ESS)
- Hill Descent Control (HDC)
- Hill Launch Assist (HLA)
- Locking Rear Differential (LRD)
- Roll Stability Control (RSC)
- Traction Control System (TCS)

■ Fuel consumption (combined):

9.7L/100km² (4x4 Manual)

Trailer Sway Control (TSC)



GET COMFORTABLE

The single cab features a bucket seat for the driver and bench seating for two others - all finished in durable cloth trim.



CONNECTIVITY ON THE MOVE Make hands-free calls¹ and stream audio with built-in Bluetooth® **KEEP INFORMED**

Powertrain:

- 3.2 litre in-line 5 cylinder 20 valve DOHC intercooled turbo diesel engine
- Drivetrain: 4x4
- Max power: 147kW @ 3,000rpm
- Max torque:
- 470Nm @ 1,750-2,500rpm





4x4 Chassis GLX

Trip computer details useful information such as fuel economy, distance to empty and more?

Mazda BT-50

FREESTYLE CAB



FREESTYLE CAB features include:

GLX

- 16-inch steel wheels with 255/70 tyres
- Freestyle door system
- Headlamps (Halogen)
- Power windows and mirrors (black)
- Seat trim: Black cloth
- Floor covering: Vinyl
- Air-conditioning
- Cruise control
- Lockable and illuminated glovebox
- 8-way adjustable driver's seat ■ Trip computer⁷
- 3.5-inch multi-information display
- Audio system with: AM/FM tuner and 6 speakers
- Single-disc CD player (MP3 compatible). (Available on GLX only)
- Bluetooth[®] hands-free phone and audio capability¹
- Steering wheel-mounted audio controls
- USB input iPod compatible
 - - Parking sensors (rear)

Powertrain:

- 3.2 litre in-line 5 cylinder 20 valve DOHC intercooled turbo diesel engine
- Drivetrain: 4x4
- Max power: 147kW @ 3,000rpm
- Max torque: 470Nm @ 1,750-2,500rpm
- 6-speed Automatic (with Manual mode)

- Airbags SRS: front (driver and passenger), side (front) and curtain (front and rear)
- Anti-lock Braking System (ABS)
- Dynamic Stability Control (DSC)
- Emergency Stop Signal (ESS)
- Hill Descent Control (HDC)
- Hill Launch Assist (HLA)
- Locking Rear Differential (LRD)
- Roll Stability Control (RSC)
- Traction Control System (TCS)
- Trailer Sway Control (TSC)

GLX Wellside Model

(Special order only)

Includes:

Cargo box Rear step bumper (chrome)

■ Fuel consumption (combined):

10L/100km² (4x4 Automatic)

- Ladder rack
- Tailgate (lockable) Mudflaps (rear)

- GSX features additional to GLX include:
- 17-inch machined alloy wheels with 265/65 tyres
- Door handles (chrome)
- Front fog-lamps (Halogen)
- Headlamps auto on/off function
- Power mirrors (chrome)
- Side steps (tubular, aluminium finish)
- Wipers (front) 2-speed with rain-sensing function
- 8-inch full colour touchscreen display
- Apple Carplay[™] and Android Auto[™]
- HDMI input jack
- Air-conditioning (dual-zone) climate control)
- Floor covering: Carpet
- Leather-wrapped steering wheel
- Rear-view mirror auto dimming
- Satellite navigation (with 3 years free map updates)
- Reversing Camera

4x4 Chassis GLX

4x4 Chassis GSX

Seat Trim: Black sports cloth



VERSATILITY AND DURABILITY

All seats are finished in quality cloth trim, and how they're configured is up to you.



FREEDOM OF FLEXIBILITY Open up your interior options with a versatile rear door configuration.

SMOOTH CRUISIN'

Maintain a consistent speed and save fuel without the distraction of checking your speedometer.

Mazda BT-50

DOUBLE CAB



(front and rear)

- 4x4 only

Anti-lock Braking System (ABS)

Dynamic Stability Control (DSC)

■ Locking Rear Differential (LRD)

Traction Control System (TCS)

■ 17-inch machined alloy wheels

Headlamps auto on/off function

■ Side steps (tubular, aluminium finish)

Roll Stability Control (RSC)

Trailer Sway Control (TSC)

GSX features additional

with 265/65 tyres

Door handles (chrome)

Front fog-lamps (Halogen)

Power mirrors (chrome)

■ Wipers (front) 2-speed with

rain-sensing function

to GLX include:

Emergency Stop Signal (ESS)

■ Hill Descent Control (HDC)

Hill Launch Assist (HLA)

DOUBLE CAB features include:

GLX


- 16-inch steel wheels with 255/70 tyres
- Headlamps (Halogen)
- Power windows and mirrors (black)
- Rear step bumper (chrome)
- Lockable tailgate
- Seat trim: Black cloth
- Floor Covering: Vinyl
- Air-conditioning
- Cruise control
- 8-way adjustable driver's seat Lockable and illuminated glovebox
- Trip computer⁷
- 3.5-inch multi-information display
- Audio system with: AM/FM tuner
- and 6 speakers ■ Single-disc CD player (MP3 compatible). (Available on GLX only)
- Bluetooth[®] hands-free phone and audio capability¹
- Steering wheel-mounted audio controls
- USB input iPod compatible
- Parking sensors (rear)

4x4 Double Cab Wellside Limited in Deep Crystal Blue Mica.

- Airbags SRS: front (driver and 8-inch full colour touchscreen passenger), side (front) and curtain display
 - Apple Carplay[™] and Android Auto[™]
 - HDMI input jack
 - Air-conditioning (dual-zone climate control)
 - Floor covering: Carpet
 - Leather-wrapped steering wheel and gear shift knob
 - Rear-view mirror auto dimming
 - Satellite navigation (with 3 years free map updates)
 - Reversing camera
 - Seat Trim: Black sports cloth
 - Centre armrest (rear seat)
 - 8-inch full colour touchscreen display

Limited features additional to GSX include:

- Power mirrors (heating and folding function) with turn indicator
- Privacy glass
- Front seats with: 8-way power adjustment (driver)
- Seat trim: Black leather⁹





REVERSING CAMERA

Equipped to GSX and Limited models, the reversing camera is a great help. The view behind is automatically displayed when you reverse, making backing-up safer and easier.

THIS WAY

Powertrain:

- 3.2 litre in-line 5 cylinder 20 valve DOHC intercooled turbo diesel engine
- Drivetrain: 4x2 or 4x4
- Max power: 147kW @ 3,000rpm
- Max torque: 470Nm @ 1,750-2,500rpm
- 6-speed Automatic (with Manual mode) or 6-speed Manual
- Fuel consumption (combined): 8.9L/100km² (4x2 Manual) 9.3L/100km² (4x2 Automatic) 9.7L/100km² (4x4 Manual) 10L/100km² (4x4 Automatic)
 - 4x2 Wellside GLX

GSX/Limited







4x4 Wellside GSX/Limited

In-built satellite navigation (with 3 years free map updates) on GSX and Limited models leads the way, so you can relax and enjoy the ride.

4x2 Powertrain		3.2L Double Cab Wellside GLX	3.2L Double Cab Wellside GSX	3.2L Double Cab Wellside Limited		
Engine type		3.2 litre in-line 5 cyli	nder 20 valve DOHC inter	rcooled turbo diesel		
Engine capacity			3,198 cc			
Bore and stroke			89.0 mm x 100.7 mm			
Compression ratio			15.5 : 1			
Maximum power			147kW @ 3,000rpm			
Maximum torque		4	70Nm @ 1,750-2,500rpm	ı		
Throttle control		E	Electronic (drive-by-wire)			
Fuel system		Commo	n-rail, electronic direct ir	njection		
Fuel tank capacity		80 litres				
Recommended fuel		Diesel				
Fuel consumption (I/100km) ²	man (combined)	8.9	8.9	-		
	auto (combined)	9.3	9.3	9.3		
Emissions standard		Euro stage V				
Alternator		12 volts - 110 amps				
Manual transmission		6-speed	6-speed	-		
Automatic transmission		6-speed	6-speed	6-speed		
Gear ratio - man/auto	1st	5.441 / 4.171	5.441 / 4.171	- / 4.171		
	2nd	2.839 / 2.342	2.839 / 2.342	- / 2.342		
	3rd	1.721 / 1.521	1.721 / 1.521	- / 1.521		
	4th	1.223 / 1.143	1.223 / 1.143	- / 1.143		
	5th	1.000 / 0.867	1.000 / 0.867	- / 0.867		
	6th	0.794 / 0.691	0.794 / 0.691	- / 0.691		
	reverse	4.935 / 3.403	4.935 / 3.403	- / 3.403		
	final drive	3.550 / 3.730	3.550 / 3.730	- / 3.730		

Chassis

Brake diameter	front		302 mm				
	rear		270 mm				
Brake type	front		Ventilated disc				
	rear		Drum				
Steering type		Rack and pi	nion hydraulic power as	sist steering			
Suspension type	front	Independent double wi	shbone with coil over da	mpers and anti-roll bar			
	rear	Rigid (live) rear axle with leaf	springs			
Turning circle	kerb to kerb		12.4 m				
Tyre size		255/70 R16	265/65 R17	265/65 R17			
Tyre index		111T	112T	112T			
Wheel size		16 x 7.0 J	17 x 8.0 J	17 x 8.0 J			
Wheel type		Steel	Alloy	Alloy			
Wheel size (spare)		16 x 7.0 J	17 x 7.5 J	17 x 7.5 J			
Wheel type (spare)		Steel	Steel	Steel			
Weights and capacities							
Axle capacity	front		1,350 kg				
	rear		1,850 kg				
Gross Combined Mass (GCM) ³	man	6,000 kg	6,000 kg	-			
	auto	6,000 kg	6,000 kg	6,000 kg			
Gross Vehicle Mass (GVM)	man	3,200 kg	3,200 kg	-			
	auto	3,200 kg	3,200 kg	3,200 kg			
Kerb weight (total)	man	1,962 kg	1,984 kg	-			
	auto	1,979 kg	2,001 kg	2,021 kg			
Kerb weight (rear axle)	man	853 kg	863 kg	-			
	auto	861 kg	870 kg	879 kg			
Seating capacity		5	5	5			
Towball download ⁴	maximum		235 kg				
Towing capacity ⁴	braked		3,500 kg				
	unbraked		750 kg				

Payload ⁵ (maximum)	man	1,238 kg	1,216 kg	-				
	auto	1,221 kg	1,199 kg	1,179 kg				
	Important: The maximum payload ⁵ figure <u>includes</u> all occupants, fluids, options, accessories, modifications <u>as well as</u> cargo. Please refer to pages 32/33 for the payload capacity calculator to determine the permissible payload of cargo based on your specific needs.							

EIIIISSIOIIS Stallualu			
Alternator			
Manual transmission		6-speed	-
Automatic transmission		-	6-speed
Gear ratio - man/auto	1st	5.441 / -	- / 4.171
	2nd	2.839 / -	- / 2.342
	3rd	1.721 / -	- / 1.521
	4th	1.223 / -	- / 1.143
	5th	1.000 / -	- / 0.867
	6th	0.794 / -	- / 0.69
	reverse	4.935 / -	- / 3.403
	final drive	3.550 / -	- / 3.730
Transfer gear	high		,
	low		
Chassis			
Brake diameter	front		
	rear		
Brake type	front		
	rear		
Steering type			F
Suspension type	front		Independen
	rear		
Turning circle	kerb to kerb		
Tyre size		255/70 R16	255/70 R
Tyre index		111T	111T
Wheel size		16 x 7.0 J	16 x 7.0 、
Wheel type		Steel	Steel
Wheel size (spare)		16 x 7.0 J	16 x 7.0 、
Wheel type (spare)		Steel	Steel
Weights and capacities			
Axle capacity	front		
	rear		
Gross Combined Mass (GCM) ³	man	6,000 kg	-
	auto	-	6,000 kg
Gross Vehicle Mass (GVM)	man	3,200 kg	-
	auto	-	3,200 kg
Kerb weight (total)	man	1,791 kg	-
	auto	-	1,876 kg
Kerb weight (rear axle)	man	779 kg	-
	auto	-	816 kg
Seating capacity		3	4
Towball download ⁴	maximum		
Towing capacity ⁴	braked		
	unbraked		
	man	1,409 kg	-
Payload⁵ (maximum)	IIIdII		

4x4 Powertrain Engine type

Engine capacity Bore and stroke Compression ratio Maximum power Maximum torque Throttle control Fuel system Fuel tank capacity Recommended fuel Fuel consumption (I/100km)²

Emissions standard



3.2L Single Cab Chassis GLX

9.7

-

man (combined)

auto (combined)


3.2L Freestyle Cab Chassis GLX	3.2L Freestyle Cab Chassis GSX	3.2L Double Cab Wellside GLX	3.2L Double Cab Wellside GSX	3.2L Double Cab Wellside Limited
3.2 litre in-lin	e 5 cylinder 20 val	ve DOHC intercool	ed turbo diesel	
	3,19	18 cc		
	89.0 mm :	x 100.7 mm		
		5:1		
		3,000rpm		
		50-2,500rpm		
		drive-by-wire)		
(Common-rail, electi	litres	חכ	
		esel		
-	-	9.7	9.7	_
10	10	10	10	10
	Euro s	stage V		
	12 volts -	110 amps		
-	-	6-speed	6-speed	-
6-speed	6-speed	6-speed	6-speed	6-speed
- / 4.171	- / 4.171	5.441 / 4.171	5.441 / 4.171	- / 4.171
- / 2.342	- / 2.342	2.839 / 2.342	2.839 / 2.342	- / 2.342
- / 1.521	- / 1.521	1.721 / 1.521	1.721 / 1.521	- / 1.521
- / 1.143	- / 1.143	1.223 / 1.143	1.223 / 1.143	- / 1.143
- / 0.867	- / 0.867	1.000 / 0.867	1.000 / 0.867	- / 0.867
- / 0.691	- / 0.691 - / 3.403	0.794 / 0.691 4.935 / 3.403	0.794 / 0.691	- / 0.691
- / 3.403 - / 3.730	- / 3.730	3.550 / 3.730	4.935 / 3.403 3.550 / 3.730	- / 3.403 - / 3.730
7 5.150		000	3.3307 3.130	7 5.150
	2.	717		
		: mm		
		mm ted disc		
		rum		
Rack	and pinion hydrau		eering	
	uble wishbone with			
		le with leaf spring:		
	12.	4 m		
255/70 R16	265/65 R17	255/70 R16	265/65 R17	265/65 R17
111T	112T	111T	112T	112T
16 x 7.0 J	17 x 8.0 J	16 x 7.0 J	17 x 8.0 J	17 x 8.0 J
Steel	Alloy	Steel	Alloy	Alloy
16 x 7.0 J	17 x 7.5 J	16 x 7.0 J	17 x 7.5 J	17 x 7.5 J
Steel	Steel	Steel	Steel	Steel
	135	i0 kg		
		i0 kg		
-	-	6,000 kg	6,000 kg	-
6,000 kg	6,000 kg	6,000 kg	6,000 kg	6,000 kg
-	-	3,200 kg	3,200 kg	-
3,200 kg	3,200 kg	3,200 kg	3,200 kg	3,200 kg
-	-	2,065 kg	2,087 kg	-
1,876 kg	1,907 kg	2,076 kg	2,098 kg	2,118 kg
-	-	898 kg	908 kg	-
816 kg	830 kg	903 kg	913 kg	921 kg
4	4	5	5	5
		5 kg		
)O kg) kg		
- 1,324 kg	- 1,293 kg	1,135 kg 1,125 kg	1,113 kg 1,125 kg	- 1,082 kg


4x2		(A) 3.2L Double Cab Wellside GLX	B 3.2L Double Cab Wellside GSX	© 3.2L Double Cab Wellside Limited
Cargo box floor height to ground		835 mm	841 mm	841 mm
Cargo box floor length		1,549 mm	1,549 mm	1,549 mm
Cargo box floor width		1,560 mm	1,560 mm	1,560 mm
Cargo box height		513 mm	513 mm	513 mm
Cargo box tailgate opening width		1,330 mm	1,330 mm	1,330 mm
Cargo box top length		1,485 mm	1,485 mm	1,485 mm
Cargo box top width		1,500 mm	1,500 mm	1,500 mm
Cargo box width between wheel arches		1,139 mm	1,139 mm	1,139 mm
Ground clearance	laden	200 mm	205 mm	205 mm
	unladen	232 mm	237 mm	237 mm
Overall length		5,365 mm	5,365 mm	5,365 mm
Overall width		1,850 mm	1,850 mm	1,850 mm
Overall height		1,837 mm	1,821 mm	1,821 mm
Overhang	front	919 mm	919 mm	919 mm
	rear	1,234 mm	1,226 mm	1,226 mm
Track	front	1,560 mm	1,560 mm	1,560 mm
	rear	1,560 mm	1,560 mm	1,560 mm
Wading depth		800 mm	800 mm	800 mm
Wheelbase		3,220 mm	3,220 mm	3,220 mm
Approach angle		27.6°	28.2°	28.2°
Departure angle		27.10	26.4°	26.4°
Ramp breakover angle		24.4°	25.0°	25.0°

– = Not available.





















4x4		3.2L Single Cab Chassis	E 3.2L Freestyle Cab Chassis	(F) 3.2L Freestyle Cab Chassis	© 3.2L Double Cab Wellside	(H) 3.2L Double Cab Wellside	① 3.2L Double Cab Wellside
Dimensions		GLX	GLX	GSX	GLX	GSX	Limited
Cargo box floor height to ground		-	-	-	835 mm	841 mm	841 mm
Cargo box floor length		-	-	-	1,549 mm	1,549 mm	1,549 mm
Cargo box floor width		-	-	-	1,560 mm	1,560 mm	1,560 mm
Cargo box height		-	-	-	513 mm	513 mm	513 mm
Cargo box tailgate opening width		-	-	-	1,330 mm	1,330 mm	1,330 mm
Cargo box top length		-	-	-	1,485 mm	1,485 mm	1,485 mm
Cargo box top width		-	-	-	1,500 mm	1,500 mm	1,500 mm
Cargo box width between wheel arches		-	-	-	1,139 mm	1,139 mm	1,139 mm
Ground clearance	laden	200 mm	200 mm	205 mm	200 mm	205 mm	205 mm
	unladen	232 mm	232 mm	237 mm	232 mm	237 mm	237 mm
Overall length		5,124 mm	5,124 mm	5,124 mm	5,365 mm	5,365 mm	5,365 mm
Overall width		1,850 mm	1,850 mm	1,850 mm	1,850 mm	1,850 mm	1,850 mm
Overall height		1,800 mm	1,804 mm	1,810 mm	1,837 mm	1,821 mm	1,821 mm
Overhang	front	919 mm	919 mm	919 mm	919 mm	919 mm	919 mm
	rear	985 mm	985 mm	985 mm	1,234 mm	1,226 mm	1,226 mm
Track	front	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm
	rear	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm
Wading depth		800 mm	800 mm	800 mm	800 mm	800 mm	800 mm
Wheelbase		3,220 mm	3,220 mm	3,220 mm	3,220 mm	3,220 mm	3,220 mm
Approach angle		27.6°	27.6°	28.2°	27.6°	28.2°	28.2°
Departure angle		28.4°	28.4°	28.9°	27.1°	26.4º	26.4º
Ramp breakover angle		24.40	24.4°	25.0°	24.4°	25.0°	25.0°




SPECIFICATIONS





‡ 205 mm

- 3,220 mm



4x2		3.2L Double Cab Wellside	3.2L Double Cab Wellside	3.2L Double Cab Wellside
Exterior		GLX	GSX	Limited
Cargo box features	lockable centre tailgate release (black)	•	-	-
	lockable centre tailgate release (chrome)	-	•	•
	double wall construction	•	•	•
	interior rope hooks (6)	•	•	•
Door handles (black)		•	-	-
Door handles (chrome)		-	•	•
Engine Cover		-	•	•
Fog-lamps (front)		-	•	•
Freestyle door system		-	-	_
Front bumper (body coloured)		•	•	•
Fuel filler cap (lockable)		_	_	_
Glass: green-tinted (all windows)		•	•	-
Glass: privacy-tinted (rear side and back w	vindows)	_	-	•
Headlamps (Halogen)		•	•	•
Ladder rack		•	-	_
Mudflaps (front)		•	•	•
Mudflaps (rear)		•	•	•
Power mirrors (black)		•	_	-
Power mirrors (chrome)		-	•	•
Power mirrors (folding function, heated) w	vith twin indicator	-	_	•
Power windows		•	•	•
Rear step bumper (chrome)		•	•	•
Side steps (tubular, aluminium finish)		-	•	•
Tailgate (lockable)		•	•	•
langute (lockable)		·	•	•
Interior				
Air-conditioning		•	-	-
Air-conditioning (dual-zone climate contro	ol)	-	•	•
Ambient temperature gauge		-	•	•
Auxiliary 12-volt power outlets		•	•	•
Centre armrest console with dual compart	tments	•	•	•
Critical function warning lights/chimes		•	•	•
Cruise control		•	•	•
Cupholders		•	•	•
Door pockets		•	•	•
Driver's left footrest		•	•	•
Floor covering	carpet	-	•	•
	vinyl	•	-	-
Glove box (lockable and illuminated)		•	•	•
Headlamps auto on/off function		-	•	•
Illuminated entry system with delayed fad	e	•	•	•
Instrument panel light dimmer		•	•	•
Interior illumination	dome lamp	•	•	•
	map reading spot lamps	•	•	•
	power window switch (driver)	•	•	•
Leather-wrapped	gear shift knob	-	0	-
	steering wheel	-	•	•
Low fuel warning light		•	•	•
Overhead sunglass storage box		•	•	•
Passenger assist grips		•	•	•
Rear-view mirror with auto dimming funct		-	•	•
Seat trim	cloth	•	-	-
	sports cloth	-	•	-
	leather ⁹	-	-	•
Seat (driver's bucket) with	8-way power adjustment	-	-	•
	adjustable head restraint	•	•	•
	height and lumbar adjustment	•	•	•
	rake and slide adjustment	•	•	•
Seat (passengers' front bench) with	adjustable head restraint	-	-	-
Seat (passengers' front bucket) with	adjustable head restraint	•	•	•
	rake and slide adjustment	•	•	•
	seat back pocket	•	•	•

3.2L 3.2 Single Cab Freesty Chassis Chas GLX GL **4x4** Exterior Cargo box features lockable centre tailgate release (black) lockable centre tailgate release (chrome) _ double wall construction _ interior rope hooks (6) _ Door handles (black) ٠ Door handles (chrome) Engine Cover _ Fog-lamps (front) _ Freestyle door system Front bumper (body coloured) ٠ Fuel filler cap (lockable) • Glass: green-tinted (all windows) • Glass: privacy-tinted (rear side and back windows) Headlamps (Halogen) • Ladder rack Mudflaps (front) • Mudflaps (rear) Power mirrors (black) ٠ Power mirrors (chrome) Power mirrors (folding function, heated) with twin indicator Power windows • Rear step bumper (chrome) Side steps (tubular, aluminium finish) _ Tailgate (lockable) Under-body impact protection • Interior Air-conditioning • Air-conditioning (dual-zone climate control) Ambient temperature gauge Auxiliary 12-volt power outlets ٠ Centre armrest console with dual compartments Critical function warning lights/chimes • Cruise control • Cupholders • Door pockets • Driver's left footrest • Floor covering carpet vinyl • Glove box (lockable and illuminated) • Headlamps auto on/off function Illuminated entry system with delayed fade • Instrument panel light dimmer • Interior illumination dome lamp map reading spot lamps • power window switch (driver) • gear shift knob Leather-wrapped steering wheel Low fuel warning light ٠ Overhead sunglass storage box • Passenger assist grips • Rear-view mirror with auto dimming function Seat trim cloth ٠ sports cloth leather9 Seat (driver's bucket) with 8-way power adjustment adjustable head restraint ٠ height and lumbar adjustment rake and slide adjustment ٠ Seat (passengers' front bench) with adjustable head restraint ٠ Seat (passengers' front bucket) with adjustable head restraint _ rake and slide adjustment seat back pocket

• = Standard Feature, O = Available on manual model, - = Not available

• = Standard Feature, O = Available on manual model, - = Not available

SPECIFICATIONS

.2L	3.2L	3.2L	3.2L	3.2L
tyle Cab			Double Cab	Double Cab
assis	Chassis	Wellside	Wellside	Wellside
GLX	GSX	GLX	GSX	Limited
		GLA		Liiniteu
-	-	•	-	-
-	-	-	•	•
-	-	•	•	•
		•	•	•
-	-	•	•	•
-	-			
•	-	•	-	-
-	•	-	•	•
-	•	-	•	•
-	•	-	•	•
	•		•	•
•	•	-	-	-
•	•	•	•	•
•	•	-	-	-
•	•	•	•	-
-		-	_	•
				•
•	•	•	•	•
-	-	•	-	-
•	•	•	•	•
	•		-	
-	-	•	•	•
•		•	_	-
-	-	•	-	
-	•	-	•	•
-	-	-	-	•
•	•	•	•	•
	-	-	-	
-	-	•	•	•
-		-	•	•
	•	-	•	
-	-	•	•	•
			•	
•	•	•	•	•
•	-	•	-	-
-	•	-	•	•
			•	
-	-	-	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•		•	•
	•	•	•	•
•	•	•	•	•
-	•	_	•	•
-	•	-	•	•
•	-	•	-	-
•	•	•	•	•
-	•	-	•	•
•	-		-	-
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•			
-	•	•	•	•
•	•		•	•
		_	0	
	-		• • •	-
-	•	-	•	•
- -			-	
	•	•	•	•
•	•	•	•	•
	-	-		
•	•	•	•	•
-	•	-	•	•
•				
•	-	•	-	-
	-	-	-	- -
	•		•	
- - -	- -	-	- -	•
-	-	-	-	•
•	•	•	•	•
	-		-	
•	•	•	•	•
•	•	•	•	•
		•		-
•	-	-	-	-
•	-	-	-	-
•	•	•	•	•
•	•	•	•	•
			-	•
•	•	•	•	•

4x2		3.2L Double Cab Wellside	3.2L Double Cab Wellside	3.2L Double Cab Wellside
Interior (continued)		GLX	GSX	Limited
Seat (passengers' rear bench) with	adjustable head restraints	•	•	•
	foldable seat base and under-seat storage	٠	•	•
	centre armrest	-	•	•
Seat (passengers' rear jump) with	removable seat base and under-seat storage	-	-	-
Tachometer and electronic odometer/tripme	ter	•	•	•
Tilt-adjustable steering wheel		•	•	•
Trip computer ⁷ (current and average fuel co and average vehicle speed)	nsumption, distance to empty	•	•	•
Vanity mirror (front passenger)		•	•	•
Window demister (rear)		•	•	•
Wipers (front) 2-speed with rain-sensing fun	ction	-	•	•
Wipers (front) 2-speed with variable intermit	tent function	•	-	-
Infotainment				
8-inch full colour touchscreen display		-	•	•
3.5-inch multi-information display		•	-	-
Apple Carplay $^{\rm TM}$ and Android Auto $^{\rm TM}$		-	•	•
AM/FM tuner		•	•	•
Auxiliary input (3.5mm MP3 player compatib	le)	•	•	•
Auxiliary input jack (HDMI)		-	•	•
$Bluetooth^{\otimes}$ hands-free phone and audio capa	ability ¹	•	•	•
CD player, single disc (MP3/WMA compatible	?)	•	-	-
Satellite navigation (with 3 years free map u	pdates)	-	•	•
Speakers (4)		-	-	-
Speakers (6)		•	•	•
Steering wheel-mounted audio controls		•	•	•
USB input (iPod® compatible)		•	•	•
Safety and Security				
Airbags SRS	front (driver and passenger)	•	•	•
	side (front)	•	•	•
	curtain (front)	-	-	-
	curtain (front and rear)	•	•	•
Anti-lock Braking System (ABS)		•	•	•
Child restraint anchor points (2)		•	•	•
Childproof rear door locks Dynamic Stability Control (DSC) - switchable	on/off	•	•	•
Electronic Brake-force Distribution (EBD)	01/011	•	•	
Emergency Brake Assist (EBA)		•	•	•
Engine immobiliser		•	•	•
Emergency Stop Signal (ESS)		•	•	•
High mount stop lamp		•	•	•
Hill Launch Assist (HLA)		•	•	•
Intrusion-minimising brake pedal		•	•	•
Left-hand-side convex (wide angle) exterior	nirror	•	•	•
Load Adaptive Control (LAC)		•	•	•
Locking Rear Differentail (LRD) - switchable	on/off	•	•	•
		•	•	•
Locking Rear Differentail (LRD) - switchable One touch (up and down) power window (dri Parking sensors (rear)	ver)	•	•	•
Locking Rear Differentail (LRD) - switchable One touch (up and down) power window (dri Parking sensors (rear) Remote central locking (2 transmitters with	ver)	• • • •	•	• • •
Locking Rear Differentail (LRD) - switchable One touch (up and down) power window (dri Parking sensors (rear) Remote central locking (2 transmitters with Reversing camera	ver)	• • • • • • • • • • • • • • • • • • • •		•
Locking Rear Differentail (LRD) - switchable One touch (up and down) power window (dri Parking sensors (rear) Remote central locking (2 transmitters with Reversing camera Roll Stability Control (RSC)	ver) retractable key)	•		• • • • • • • • • • • • • • • • • • • •
Locking Rear Differentail (LRD) - switchable One touch (up and down) power window (dri Parking sensors (rear) Remote central locking (2 transmitters with Reversing camera Roll Stability Control (RSC) Seat-belt warning audible and visual (driver)	ver) retractable key)	•		
Locking Rear Differentail (LRD) - switchable One touch (up and down) power window (dri Parking sensors (rear) Remote central locking (2 transmitters with Reversing camera Roll Stability Control (RSC) Seat-belt warning audible and visual (driver) Seat-belt warning audible and visual (front p	ver) retractable key)			
Locking Rear Differentail (LRD) - switchable One touch (up and down) power window (dri Parking sensors (rear) Remote central locking (2 transmitters with Reversing camera Roll Stability Control (RSC) Seat-belt warning audible and visual (driver) Seat-belt warning audible and visual (front p Seat-belts 3-point lap-sash (all seats)	ver) retractable key) assenger)			
Locking Rear Differentail (LRD) - switchable One touch (up and down) power window (dri Parking sensors (rear) Remote central locking (2 transmitters with Reversing camera Roll Stability Control (RSC) Seat-belt warning audible and visual (driver) Seat-belt warning audible and visual (front p	ver) retractable key) assenger) height adjustable shoulder anchorages			
Locking Rear Differentail (LRD) - switchable One touch (up and down) power window (dri Parking sensors (rear) Remote central locking (2 transmitters with Reversing camera Roll Stability Control (RSC) Seat-belt warning audible and visual (driver) Seat-belt warning audible and visual (front p Seat-belts 3-point lap-sash (all seats) Seat-belts (front) with	ver) retractable key) assenger)			
Locking Rear Differentail (LRD) - switchable One touch (up and down) power window (dri Parking sensors (rear) Remote central locking (2 transmitters with Reversing camera Roll Stability Control (RSC) Seat-belt warning audible and visual (driver) Seat-belt warning audible and visual (front p Seat-belts 3-point lap-sash (all seats)	ver) retractable key) assenger) height adjustable shoulder anchorages			

● = Standard Feature, - = Not available

4x4		3.2L Single Cab Chassis	3.2L Freestyle Cab Chassis	3.2L Freestyle Cab Chassis	3.2L Double Cab Wellside	3.2L Double Cab Wellside	3.2 Double Wells
Interior (continued)		GLX	GLX	GSX	GLX	GSX	Limi
Seat (passengers' rear bench) with	adjustable head restraints	-	-	-	•	•	•
	foldable seat base and under-seat storage	-	-	-	•	•	•
	centre armrest	-	-	-	-	•	•
Seat (passengers' rear jump) with	removable seat base and under-seat storage	-	•	•	-	-	
Tachometer and electronic odometer/tri	pmeter	•	•	•	•	•	•
Tilt-adjustable steering wheel		•	•	•	•	•	•
Trip computer ⁷ (current and average fue and average vehicle speed)	l consumption, distance to empty	•	•	•	٠	•	•
Vanity mirror (front passenger)		•	•	•	•	•	•
Window demister (rear)		•	•	•	•	•	•
Wipers (front) 2-speed with rain-sensing	function	-	-	•	-	•	•
Wipers (front) 2-speed with variable inte	rmittent function	•	•	-	•	-	-
Infotainment							
8-inch full colour touchscreen display		-	-	•	-	•	•
3.5-inch multi-information display		•	•	-	•	-	
Apple Carplay ${}^{\rm TM}$ and Android Auto ${}^{\rm TM}$		-	-	•	-	•	
AM/FM tuner		•	•	•	•	•	•
Auxiliary input (3.5mm MP3 player comp	patible)	•	•	•	•	•	
Auxiliary input jack (HDMI)		-	-	•	-	•	
Bluetooth [®] hands-free phone and audio	capability ¹	•	•	•	-	•	
CD player, single disc (MP3/WMA compa	tible)	•	•	-	•	-	
Satellite navigation (with 3 years free ma	ap updates)	-	-	•	-	•	
Speakers (4)		•	-	-	-	-	
Speakers (6)		-	•	•	•	•	
Steering wheel-mounted audio controls		•	•	•	•	•	
USB input (iPod® compatible)		•	•	•	٠	•	•
Safety and Security							
Airbags SRS	front (driver and passenger)	•	•	•	•	•	•
	side (front)	-	•	•	•	•	
	curtain (front)	•	-	-	-	-	
	curtain (front and rear)	-	•	•	•	•	
Anti-lock Braking System (ABS)		•	•	•	•	•	
Child restraint anchor points (2)		-	•	•	•	•	
Childproof rear door locks		-	-	-	•	•	
Dynamic Stability Control (DSC) - switcha	ble on/off	•	•	•	•	•	
Electronic Brake-force Distribution (EBD)	•	•	•	•	•	•
Emergency Brake Assist (EBA)		•	•	•	•	•	
Engine immobiliser		•	•	•	•	•	
Emergency Stop Signal (ESS)		•	•	•	•	•	
High mount stop lamp		-	-	-	•	•	
Hill Descent Control (HDC)		•	•	•	•	•	
Hill Launch Assist (HLA)		•	•	•	•	•	
Intrusion-minimising brake pedal		•	•	•	•	•	
Left-hand-side convex (wide angle) exter	ior mirror	•	•	•	•	•	
Load Adaptive Control (LAC)		•	•	•	•	•	
Locking Rear Differential (LRD) - switcha	ble on/off	•	•	•	•	•	
One touch (up and down) power window			•		•		
Parking sensors (rear)	(-	-	-	•	•	
Remote central locking (2 transmitters v	vith retractable key)		•	•	•	•	
Reversing camera	numetractable Key)	-	-		-		
Roll Stability Control (RSC)			•		•	-	
Seat-belt warning audible and visual (dri	(ver)				•	-	
					•	-	
Seat-belt warning audible and visual (fro	nic passenger)	-			•	•	
Seat-belts 3-point lap-sash (all seats) Seat-belts (front) with	height adjustable shoulder			•	•		
	anchorages	-	-	-	•	•	-
Side impact door beams	pretensioners and load limiters	•	•	•	•	•	
side impact abor beams		-	-	-	-	•	
Traction Control System (TCS)							-

SPECIFICATIONS

PAYLOAD AND TOWING CALCULATOR



STATEMENT OF PURPOSE

The Payload and Towing Calculator⁵ has been provided to promote safe operation of your Mazda BT-50. Its objective is to ensure the aspects of load capacity and weight distribution fall within safe limits. Please use this calculator as a general guide only.

Note: To reduce complexity with this tool, we have not included calculations for Front Axle Loading. For general use situations, Front Axle Capacity is not likely to be exceeded. However, for specific requirements or unique applications, please consult your Mazda Dealer.

GLOSSARY

GROSS COMBINED MASS (GCM):

The maximum total combined weight of a vehicle including its cargo, occupants, accessories and any towed mass.

TRAILER MASS:

The total weight of a trailer and its load. including the towbar download.

GROSS VEHICLE MASS (GVM):

The maximum weight of a vehicle, including all accessories, body construction, occupants and cargo.

KERB WEIGHT:

The unladen weight of the vehicle, (less occupants, tray/body and accessories), including fuel.

TOWBALL DOWNLOAD:

The downward load that is applied to the tow coupling when a trailer is attached (this load is part of the Trailer Mass).

VEHICLE ACCESSORIES:

Any attachment/device that has been added to the vehicle after it was manufactured (e.g. tray, sports bar, canopy etc.).

REAR AXLE CAPACITY:

The maximum total weight the rear axle can carry, including the unladen weight of the axle.

PROVISIONAL PAYLOAD:

This is the INTERIM calculated pavload weight, without taking load distrubition into account.

PERMISSABLE PAYLOAD:

This is the FINAL payload figure, with weight distribution (i.e. rear axle capacity) accounted for.

INSTRUCTIONS

SECTION A

SECTON B

MINUS

EQUALS:

SECTION C

MINUS:

EQUALS:

MIN

EQU

SEC Max MIN

EQU

MIN

EQU

SEC

LESS

EQU

Gross Combined Mass (GCM)

- To calculate PERMISSABLE payload for your needs in column (B), use example in column (A) as a guide.
- Please work through sections A-H in sequence.
- Model-specific weights and capacities data for elements f) and p) can be found on pages 24 and 25. PROVISIONAL Payload is calculated by deducting fixed and variable weights from the Gross Combined Mass (GCM) or Gross Vehicle Mass (GVM) figures (where appropriate).
- PERMISSABLE (final) Payload is then confirmed once weight distribution is calculated, by checking the PROVISIONAL Payload against the maximum Rear Axle Capacity.

(If towing; otherwise enter "0")

For specific requirements, please consult your Mazda Dealer.

BT-50 MODEL:

TRAILER

Trailer Mass

Residual Mass

GVM

4x4 Single Cab Chassi a) 6,000kg b) 2,000kc c) 4,000kg

Gross Vehicle Mass (GVM) d) 3,200kd LESSER VALUE OF: Residual Mass [c] OR GVM [d] e) 3,200kg KERB WEIGHT SECTION D Kerb Weight f) 1,791kg g) 1,409kg SECTION E TOWBALL DOWNLOAD Maximum Towball Download h) 235kg Actual Towball Download (If towing; otherwise enter "0") i) 150kg Maximum Towball Download [h] OR Actual Towball Download [i] LESSER VALUE OF: j) 150kg

EQUALS: k) 1,259kg SECTION F ACCESSORIES / OCCUPANTS

NUS:	Vehicle Accessories (e.g. Tray, Canopy, Sports Bar etc)	I) 300kg	I)	kg
	Occupants/Luggage/Tools etc	m) 200kg	m)	kg
UALS:	PROVISIONAL Payload	n) 759kg	n)	kg
		[n] = [i	k] - [l] - [m]	
CTION G	REAR AXLE PAYLOAD			
ximum Rear Axle Capacity		o) 1,850kg	o)	1,850kg
NUS:	Kerb Weight (Rear Axle)	p) 779kg	p)	kg
UALS:		q) 1,071kg	q)	kg
		[q] =	= [o] - [p]	
NUS:	Towball Download [j]	j) 150kg	j)	kg
	Vehicle Accessories [I]	l) 300kg	I)	kg
UALS:	Maximum Rear Axle Payload	r) 621kg	r)	kg
		[r] = [q] - [j] - [l]	
CTION H	FINAL PAYLOAD CONFIRMATION			
SSER VALUE OF:	Maximum Rear Axle Payload [r] OR	r) 621kg	r)	kg
	PROVISIONAL Payload [n]	n) 759kg	n)	kg
UALS:	PERMISSABLE PAYLOAD	s) 621kg	s)	kg
		[s] = lesser	value of [n] or [r]	

ks	h	e	e	t	
	•••	-	-	•	

(A) Example Wor

B Your Worksheet

is	GLX	6MT

[c] = [a] - [b]			
g	c)		kg
g	b)		kg
e.		a) clocolly	
g		a) 6,000kg	

g	d) 3	3,200kg
g	e)	kg
[e] = lesser	value of [c] or [d]	

	f)	kg
	g)	kg
[g]	= [e]-[f]	

	1	h) 235kg
	i)	kg
	j)	kg
[j] = lesser value of [h] or [i]		

k)	kg
[k] = [g] - [j]	

ENJOY MAZDA BT-50 WITH CONFIDENCE

MAZDA BT-50 COLOUR AND TRIM

BODY COLOURS



Cool White

Aluminium Metallic

Titanium Flash Mica

Deep Crystal Blue Mica

INTERIOR TRIMS

Black Cloth (GLX)

Black Sports Cloth (GSX)

Black Leather (Limited)

Black Mica



Mazda Commercialcare

Every new Mazda BT-50 comes with mazda commercialcare included. This comprehensive cover includes 3 years of Mazda On Call Roadside Assistance plus 3 years or 150,000km (whichever occurs first) of a comprehensive Mazda Warranty at no extra cost. It also entitles you to 3 years or 100,000km (whichever occurs first) of Fixed Price Servicing⁸

Maintain that Zoom-Zoom for no more than \$200 per service⁸

Regular servicing is essential because it keeps your Mazda in peak condition for longer, saving you money in fuel and parts, keeping your vehicle safer on the road. That's why we offer 3 years or 100,000km (whichever occurs first) of Fixed Price Servicing as part of Mazda Commercialcare. This means you pay no more than \$200 (incl. GST) per service at scheduled service intervals every 6 months or 10,000km (whichever comes

first)⁸ Of course, each service will be carried out by Mazda factory-trained Service Specialists using the latest in vehicle diagnostic equipment, in order to keep your BT-50 operating at optimum driving performance.

Help is at hand - Mazda Roadside Assistance

If something goes wrong when you're travelling then we're here to help. Mazda **On Call** is a roadside assistance programme available to Mazda owners 24-hours a day, 365 days a year - included as part of your mazda commercialcare cover. So, if you run out of fuel, lock your keys in the car or simply forget how to programme the stereo, all you need to do is call us. Our support centres are ready to help out with any mechanical, medical and even legal advice you might need.

Accessories add enjoyment

Mazda BT-50 combines amazing versatility with refined design. And with Mazda Genuine Accessories, owning one becomes even more satisfying. They let you personalise your vehicle and protect your investment. They also deliver superb design, quality, fit and safety. Mazda Genuine Accessories let you add even more Zoom-Zoom. Find out more about mazda commercialcare and genuine BT-50 accessories at mazda.co.nz

MAZDA COMMERCIAL CARE

(1) Please check the compatibility of your Bluetooth® device (particularly your mobile phone) with the specific Mazda vehicle you intend to purchase as not all devices operate correctly. Consult your Mazda Dealer for further information. (2) Fuel consumption figures are based on ADR81/02. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic, road conditions and how the vehicle is driven. Combined fuel consumption figures quoted in this brochure relate to models built on or after 1 July 2016. (3) GCM is the total permissible combined weight of the vehicle and trailer being towed including occupants, accessories, fuel and cargo. Please refer to the Towing and Payload Calculator on Pages 32/33 for guidance. (4) A Genuine Mazda towbar is recommended. Towing Capacity is governed by the Gross Combined Mass (GCM) of the vehicle not being exceeded. Please refer to the Towing and Payload Calculator on Pages 32/33 for guidance. (5) The weight of any vehicle occupants, options, accessories, modifications, cargo, axle capacity and towball download must be included when calculating payload weight. Please refer to the Towing and Payload Calculator on Pages 32/33 for guidance. (6) The Towing and Payload Calculator is a guide only; to promote safe practice in line with the safety systems and capabilities of the vehicle. Consult your Mazda Dealer for further information. (7) Trip computer displays current and average fuel consumption, distance to empty and average vehicle speed. (8) mazda commercial care Fixed Price Servicing is only available for BT-50 'UP' and 'UR' series models built from August 2011 onward. (9) Leather trim includes Mazda deluxe leatherette on selected high impact surfaces.

All care is taken to ensure the accuracy of this brochure at the time of publication. Specifications, features and model availability may vary from Dealer to Dealer and may change without notice. Please refer to mazda.co.nz or consult your Mazda Dealer prior to placing an order to ascertain current information on model availability, specifications, options, features and prices. Mazda Motors of New Zealand Limited will not be liable for any loss arising from the information in this brochure, whether in negligence or otherwise. Mazda Motors of New Zealand Limited, PO Box 132 057, Sylvia Park, Auckland 1644. Due to the nature of the printing process, colours may vary from those shown in this brochure. Ask your Dealer to show you a product sample. Published May 2020. MZ4900623.





Eternal Blue Mica



True Red





Like us on the official Mazda New Zealand fan page for the latest pictures, videos, events, news and competitions. Ask questions, give feedback or upload your own photos. Find us by searching "Mazda NZ" on Facebook now. Visit Mazda New Zealand's YouTube channel. You'll find video content with exclusive behind-the-scenes footage. Find us by searching "Mazda NZ" on YouTube now.

(O') Mazda_nz

Find us by searching "Mazda_nz" on Instagram now.

Published May 2020. MZ4900623.